

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	3	(((((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (access\$4 near6 database\$4 near5 structur\$4)) and (first same interface\$4) and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:46
L7	4	(access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3) and (access\$4 near6 database\$4 near5 structur\$4) and (different same interface\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:48
L8	26	((different near5 (data\$4 memor\$3) near5 structur\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)) same (consisten\$4 synchroniz\$4)) same (consisten\$4 synchroniz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:07
L11	152	updat\$4 near5 database\$4 near5 (multi\$5 different\$3 many) near5 (user\$3 client\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:54
L12	47	11 and (consisten\$4 synchroniz\$4) near5 (data reocord\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:54
L13	236	(separat\$e near5 access\$4) and (consisten\$4 near5 (updat\$4 chang\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:02
L14	1	8 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:02
L15	155	(different near5 (data\$4 memor\$3)) and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:03
L16	56	(different near5 (data\$4 memor\$3)) near5 access\$4 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:05

L17	628	multi\$4 near5 user\$3 near5 access\$4 near5 database\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:21
L18	62	17 and consisten\$4 near5 (updat\$4 chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:16
L19	147	17 and consisten\$4 near5 (data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:22
L20	51	17 and consisten\$4 near5 (data\$4) near5 (updat\$4 chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:16
L21	0	multi\$4 near5 user\$3 near5 access\$4 near5 database\$4 near5 (updat\$4 chang\$4 modif\$4) near5 consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:22
L22	43	multi\$4 near5 user\$3 near5 access\$4 near5 database\$4 near5 (updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:41
L23	9	22 and consisten\$4 near5 (data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:41
L24	126	multi\$4 near5 user\$3 near5 database\$4 near5 (updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:04
L25	29	24 and consisten\$4 near5 (data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:08
L26	174	(many different\$4) near5 user\$3 near5 database\$4 near5 (updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:55

L27	47	26 and consisten\$4 near5 (data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:56
L28	129	(different near5 (data\$4 memor\$3) near5 structur\$4) and ((consisten\$4) near5 (data memor\$4) near5 (updat\$4 modif\$4 chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:03
L29	0	24 and 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:04
L30	589	multi\$4 near5 user\$3 near5 database\$4 near5 access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:17
L31	31	28 and 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:25
L32	330	multi\$4 near5 user\$3 near5 (access\$4 updat\$4 chang\$4 modif\$4) same (consisten\$4 synchroniz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:08
L33	106	32 and consisten\$4 near5 (data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:18
L34	673	multi\$4 near5 user\$3 near5 database\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:27
L35	153	34 and consisten\$4 near5 (data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:35
L36	510	databas\$4 near5 (updat\$4 chang\$4 modif\$4) near5 consisten\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:25

L37	13	36 and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:33
L38	566	(different\$3 many\$4) near5 user\$3 near5 database\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:31
L39	10	36 and 38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:32
L40	80	(different\$3 many\$4) near5 interfac\$3 near5 database\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:32
L41	1	36 and 40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:32
L42	756	independen\$4 near5 database\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:32
L43	16	36 and 42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:33
L44	255	34 and integr\$4 near5 (data\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:35
S1	107	access\$4 near6 different near5 memor\$4 near5 structur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 16:24
S2	5	(access\$4 near6 different near5 memor\$4 near5 structur\$4) same interface\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:59

S3	51	access\$4 near6 different near5 database\$4 near5 structur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:06
S4	4	(access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:42
S5	1532	access\$4 near6 database\$4 near5 structur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:20
S6	3	((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (access\$4 near6 database\$4 near5 structur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:39
S7	2	"6138121".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:20
S8	1	"6138121".pn. and (first same interface\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:20
S9	1	((((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (access\$4 near6 database\$4 near5 structur\$4)) and ("6138121".pn. and (first same interface\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:40
S10	1	(((((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (access\$4 near6 database\$4 near5 structur\$4)) and ("6138121".pn. and (first same interface\$4))) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:27

S11	1	((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (access\$4 near6 database\$4 near5 structur\$4)) and ("6138121".pn. and (first same interface\$4)) and (((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (access\$4 near6 database\$4 near5 structur\$4)) and ("6138121".pn. and (first same interface\$4))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:44
S12	1	((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (access\$4 near6 database\$4 near5 structur\$4)) and ("6138121".pn. and (first same interface\$4)) and (((access\$4 near6 different near5 database\$4 near5 structur\$4) same (interface\$3)) and (access\$4 near6 database\$4 near5 structur\$4)) and ("6138121".pn. and (first same interface\$4)))) and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:44
S13	2	(access\$4 near6 different near5 memor\$4 near5 structur\$4) and (access\$4 near6 different near5 database\$4 near5 structur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 16:24
S14	2	(access\$4 near6 different near5 memor\$4 near5 structur\$4) and (access\$4 near6 different near5 database\$4 near5 structur\$4) and (access\$4 near6 database\$4 near5 structur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 16:24
S15	529	different near5 (data\$4 memor\$3) near5 structur\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:19

S16	5	(different near5 (data\$4 memor\$3) near5 structur\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)) same (consisten\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 15:39
S17	15	(different near5 (data\$4 memor\$3) near5 structur\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)) same (consisten\$4 synchroniz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 15:47
S18	538	different near5 (data\$4 memor\$3) near5 format\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 15:47
S20	21	(different near5 (data\$4 memor\$3) near5 format\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)) same (consisten\$4 synchroniz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 15:47
S21	17438	separat\$e near5 access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 15:57
S22	1	(separat\$e near5 access\$4) same (consisten\$4 near5 (updat\$4 chang\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:01
S23	6	dissimilar\$4 near5 (data\$4 memor\$3) near5 structur\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:05
S24	11	dissimilar\$4 near5 (data\$4 memor\$3) near5 (structur\$4 format\$4) near5 (access\$4 updat\$4 chang\$4 modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:05
S25	11	(dissimilar\$4 near5 (data\$4 memor\$3) near5 structur\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)) or (dissimilar\$4 near5 (data\$4 memor\$3) near5 (structur\$4 format\$4) near5 (access\$4 updat\$4 chang\$4 modif\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:52

S26	5	((dissimilar\$4 near5 (data\$4 memor\$3) near5 structur\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)) or (dissimilar\$4 near5 (data\$4 memor\$3) near5 (structur\$4 format\$4) near5 (access\$4 updat\$4 chang\$4 modif\$4))) and (consisten\$4 synchroniz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:06
S27	0	each near5 (access\$4 updat\$4 chang\$4 modif\$4) near5 diferent near5 (memor\$4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:09
S28	0	each near5 (access\$4 updat\$4 chang\$4 modif\$4) near5 different near5 (memor\$4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:10
S29	18861	(access\$4 updat\$4 chang\$4 modif\$4) near5 different near5 (memor\$4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:10
S30	167	((access\$4 updat\$4 chang\$4 modif\$4) near5 different near5 (memor\$4 data)) same ((consiten\$4 synchroniz\$4) near5 (memor\$4 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:17
S31	1505	(consisten\$4) near5 (data memor\$4) near5 (updat\$4 modif\$4 chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/27 16:19
S32	116	(different near5 (data\$4 memor\$3) near5 structur\$4) and ((consisten\$4) near5 (data memor\$4) near5 (updat\$4 modif\$4 chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:03
S33	18	multipl\$4 near4 user\$3 near5 access\$4 near5 "different" near5 database\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:12
S34	2	"6351744".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:12

S35	1	"6351744".pn. and (consisten\$4 same (updat\$4 chang\$4 modif\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:39
S36	1	(multipl\$4 near4 user\$3 near5 access\$4 near5 "different" near5 database\$3) and "6351744".pn. and ("6351744".pn. and (consisten\$4 same (updat\$4 chang\$4 modif\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 10:40
S37	42	(different\$4 independent\$4) near5 (user\$4 client\$4) near5 (access\$4) near5 (chang\$4 updat\$4) near5 data\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:49
S38	26	((different near5 (data\$4 memor\$3) near5 structur\$4 near5 (access\$4 updat\$4 chang\$4 modif\$4)) same (consisten\$4 synchroniz\$4)) same (consisten\$4 synchroniz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:48